



Panel can be installed on either the sliding or stationary side



HOW TO MEASURE A SLIDING DOOR AND OPTIONS FOR A “STANDARD PANEL INSERT MODEL” HALE PET DOOR™

1. MEASUREMENT “A” IS THE OVERALL HEIGHT OF THE SLIDING DOOR. MEASURE DOWN INSIDE THE BOTTOM TRACK AND FLUSH WITH THE TOP TRACK. DO NOT MEASURE INSIDE BOTH TRACKS OR THE PANEL WILL BE TOO TALL. DO NOT MEASURE FLUSH ON BOTH ENDS OR THE PANEL WILL BE TOO SHORT. SEE GRAPHIC ON NEXT PAGE FOR DETAILS.

MEASUREMENT “A” _____ INCHES (NOTE: if measurement is between 82” and 96”, the panel is considered “oversize”. Due to the cost of glass and other materials, the price of “oversize” panels is \$50.00 more than the regular size panels.)

PET DOOR: SINGLE FLAP _____ DUAL FLAP _____


COLOR: BRUSHED ALUMINUM _____ DARK BRONZE _____
WHITE _____ ARIZONA BEIGE _____

SIZE OF PET DOOR: _____


WHEN STANDING INSIDE THE HOUSE LOOKING OUTSIDE, THE SLIDING PATIO DOOR CLOSES TO THE: RIGHT _____ LEFT _____

HEIGHT OF “RISE”: 1 INCH _____ 5 INCH _____ 10 INCH _____

View of sample sliding glass door tracks with door open:



CORRECT: INSIDE ONE TRACK AND FLUSH ON OTHER



WRONG: INSIDE BOTH TRACKS -
PANEL UNIT WOULD BE TOO TALL

WRONG: FLUSH ON BOTH TRACKS -
PANEL UNIT WOULD BE TOO SHORT